Notice of Allowability	Application No.	Applicant(s)	Applicant(s)	
	10/803,943	MORI ET AL.	MORI ET AL.	
	Examiner	Art Unit		
	Bot LeDynh	2862		
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in the or other appropriate communic IGHTS. This application is sub	is application. If not inclucation will be mailed in du	ded e course. THIS	
This communication is responsive to				
2. ⊠ The allowed claim(s) is/are <u>1-33</u> .				
3.	e been received. e been received in Application Note the attached EXAMI es reason(s) why the oath or dest be submitted. son's Patent Drawing Review (construction). standard American Service (constru	No In this national stage application is deficient. PTO-948) attached the Office action of drawings in the front (not the late). IAL must be submitted.	equirements NOTICE OF ne back) of	
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 3/19/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Sum Paper No./Ma 7. ☒ Examiner's An 8. ☒ Examiner's Sta 9. ☐ Other	il Date	lowance	

Art Unit: 2862

EXAMINER'S STATEMENT

Drawings

Figure 6 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

-In claim 1, in line 8, the term "guide member" has been replaced with –guide means--; and

in line 18, the term "pressing member" has been replaced with – pressing means--.

Application/Control Number: 10/803,943

Art Unit: 2862

-In claim 6, in line 2, the term "guide member" has been replaced with –guide means--.

-In claim 10, in line 4, the term "member" has been replaced with -means--.

-In claim 11, in line 2, the term "guide member" has been replaced with –guide means--.

-In claim 14, in line 17, the term "pressing member" has been replaced with – pressing means--.

-In claim 17, in line 3, the term "guide member" has been replaced with -guide means--; and

in line 4, the term "guide member" has been replaced with -guide means--.

-In claim 22, in line 11, the term "guide member" has been replaced with –guide means--.

-In claim 27, in line 13, the term "guide member" has been replaced with –guide means--.

-In claim 31, in line 13, the term "guide member" has been replaced with –guide means--.

Examiner's Statement of Reasons for Allowance

The following is an examiner's statement of reasons for allowance: The prior art of record does not, alone or in combination, disclose a pressing means provided on a guide means or a reference base, for pressing a movable base toward the reference base to lock the movable base on the reference base by making the movable base in contact with a surface of the reference base; and a movable base floating mechanism for floating the movable base from a surface of the reference base against the pressing force of a pressing member.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Bot LeDynh whose telephone number is 5712722231. The examiner can normally be reached on Maxiflex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Lefkowitz can be reached on 5712722180. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BL/ 2006

Bot LeDynh, J.D., Ph.D., D.A.

Primary Examiner